

U.S. DEPARTMENT OF HOMELAND SECURITY
Federal Emergency Management Agency
National Flood Insurance Program

OMB Control No. 1660-0008
Expiration Date: 06/30/2026

ELEVATION CERTIFICATE


IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
A1. Building Owner's Name: <u>ASTARDI LLC, A DELAWARE LIMITED LIABILITY</u>		Policy Number: _____
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: <u>5111 NE 30TH AVE</u>		Company NAIC Number: _____
City: <u>LIGHTHOUSE POINT</u> State: <u>FLORIDA</u> ZIP Code: <u>33064</u>		
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number: <u>Folio #:484307131670</u>		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): <u>Residential</u>		
A5. Latitude/Longitude: Lat. <u>N 26°17'40.28"</u> Long. <u>W 80°4'58.96"</u> Horiz. Datum: ☐ NAD 1927 ☒ NAD 1983 ☐ WGS 84		
A6. Attach at least two and when possible four clear color photographs (one for each side) of the building (see Form pages 7 and 8).		
A7. Building Diagram Number: <u>1A</u>		
A8. For a building with a crawlspace or enclosure(s):		
a) Square footage of crawlspace or enclosure(s): <u>N/A</u> sq. ft.		
b) Is there at least one permanent flood opening on two different sides of each enclosed area? ☐ Yes ☐ No ☒ N/A		
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u>		
d) Total net open area of non-engineered flood openings in A8.c: <u>N/A</u> sq. in.		
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): <u>N/A</u> sq. ft.		
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.		
A9. For a building with an attached garage:		
a) Square footage of attached garage: <u>420</u> sq. ft.		
b) Is there at least one permanent flood opening on two different sides of the attached garage? ☐ Yes ☐ No ☒ N/A		
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: <u>N/A</u> Engineered flood openings: <u>N/A</u>		
d) Total net open area of non-engineered flood openings in A9.c: <u>N/A</u> sq. in.		
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): <u>N/A</u> sq. ft.		
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): <u>N/A</u> sq. ft.		
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION		
B1.a. NFIP Community Name: <u>CITY OF LIGHTHOUSE POINT</u>		B1.b. NFIP Community Identification Number: <u>125125</u>
B2. County Name: <u>BROWARD COUNTY</u>	B3. State: <u>FLORIDA</u>	B4. Map/Panel No.: <u>12011C0187H</u>
B5. Suffix: <u>J</u>		
B6. FIRM Index Date: <u>7/31/2024</u>	B7. FIRM Panel Effective/Revised Date: <u>7/31/2024</u>	
B8. Flood Zone(s): <u>AE</u>	B9. Base Flood Elevation(s) (BFE) (Zone AO, use Base Flood Depth): <u>7.0</u>	
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☒ FIRM ☐ Community Determined ☐ Other: <u>N/A</u>		
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____		
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No Designation Date: <u>N/A</u> ☐ CBRS ☐ OPA		
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? ☐ Yes ☒ No		

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 5111 NE 30TH AVE City: <u>LIGHTHOUSE POINT</u> State: <u>FLORIDA</u> ZIP Code: <u>33064</u>	FOR INSURANCE COMPANY USE Policy Number: _____ Company NAIC Number: _____																								
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)																									
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: <u>BM-1275</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other: <u>N/A</u> Datum used for building elevations must be the same as that used for the BFE. Conversion factor used? ☐ Yes ☒ No If Yes, describe the source of the conversion factor in the Section D Comments area. <table style="width: 100%;"><tr><td style="width: 60%;">a) Top of bottom floor (including basement, crawlspace, or enclosure floor):</td><td style="width: 10%; text-align: center;"><u>7.0</u></td><td style="width: 30%;">Check the measurement used: ☒ feet ☐ meters</td></tr><tr><td>b) Top of the next higher floor (see Instructions):</td><td style="text-align: center;"><u>16.9</u></td><td>☒ feet ☐ meters</td></tr><tr><td>c) Bottom of the lowest horizontal structural member (see Instructions):</td><td style="text-align: center;"><u>N/A</u></td><td>☐ feet ☐ meters</td></tr><tr><td>d) Attached garage (top of slab):</td><td style="text-align: center;"><u>6.3</u></td><td>☒ feet ☐ meters</td></tr><tr><td>e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):</td><td style="text-align: center;"><u>6.8</u></td><td>☒ feet ☐ meters</td></tr><tr><td>f) Lowest Adjacent Grade (LAG) next to building: ☒ Natural ☐ Finished</td><td style="text-align: center;"><u>6.0</u></td><td>☒ feet ☐ meters</td></tr><tr><td>g) Highest Adjacent Grade (HAG) next to building: ☒ Natural ☐ Finished</td><td style="text-align: center;"><u>6.1</u></td><td>☒ feet ☐ meters</td></tr><tr><td>h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:</td><td style="text-align: center;"><u>N/A</u></td><td>☐ feet ☐ meters</td></tr></table>		a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	<u>7.0</u>	Check the measurement used: ☒ feet ☐ meters	b) Top of the next higher floor (see Instructions):	<u>16.9</u>	☒ feet ☐ meters	c) Bottom of the lowest horizontal structural member (see Instructions):	<u>N/A</u>	☐ feet ☐ meters	d) Attached garage (top of slab):	<u>6.3</u>	☒ feet ☐ meters	e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):	<u>6.8</u>	☒ feet ☐ meters	f) Lowest Adjacent Grade (LAG) next to building: ☒ Natural ☐ Finished	<u>6.0</u>	☒ feet ☐ meters	g) Highest Adjacent Grade (HAG) next to building: ☒ Natural ☐ Finished	<u>6.1</u>	☒ feet ☐ meters	h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	<u>N/A</u>	☐ feet ☐ meters
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	<u>7.0</u>	Check the measurement used: ☒ feet ☐ meters																							
b) Top of the next higher floor (see Instructions):	<u>16.9</u>	☒ feet ☐ meters																							
c) Bottom of the lowest horizontal structural member (see Instructions):	<u>N/A</u>	☐ feet ☐ meters																							
d) Attached garage (top of slab):	<u>6.3</u>	☒ feet ☐ meters																							
e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area):	<u>6.8</u>	☒ feet ☐ meters																							
f) Lowest Adjacent Grade (LAG) next to building: ☒ Natural ☐ Finished	<u>6.0</u>	☒ feet ☐ meters																							
g) Highest Adjacent Grade (HAG) next to building: ☒ Natural ☐ Finished	<u>6.1</u>	☒ feet ☐ meters																							
h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	<u>N/A</u>	☐ feet ☐ meters																							
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION																									
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. <i>I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.</i> Were latitude and longitude in Section A provided by a licensed land surveyor? ☒ Yes ☐ No ☐ Check here if attachments and describe in the Comments area. Certifier's Name: <u>Guillermo A. Guerrero</u> License Number: <u>6453</u> Title: <u>PROFESSIONAL SURVEYOR & MAPPER</u> Company Name: <u>Online Land Surveyors Inc.</u> Address: <u>6175 NW 153rd Street STE 401</u> City: <u>Miami Lakes</u> State: <u>FL</u> ZIP Code: <u>33014</u> Telephone: <u>(305) 910-0123</u> Ext.: _____ Email: <u>Processing@OnlineLandSurveyors.Net</u> Signature: <u></u> Date: <u>6/10/2024</u>  Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner. Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): LATITUDE LONGITUDE PER GOOGLE, C2(E) DENOTES TO AIR CONDITIONER PAD NOTE: THIS ELEVATION CERTIFICATE IS ONLY VALID FOR THE PERSON OR PERSONS NAMED ON THIS CERTIFICATE. THIS CERTIFICATE IS FOR FLOOD INSURANCE PURPOSES ONLY. THE INFORMATION ON THIS CERTIFICATE SHOULD NOT TO BE USED FOR CONSTRUCTION OR PLANNING.																									

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 5111 NE 30TH AVE City: LIGHTHOUSE POINTState: FLORIDAZIP Code: 33064	FOR INSURANCE COMPANY USE Policy Number: _____ Company NAIC Number: _____
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)	
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters. Building measurements are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☐ Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG. a) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (C2.b in applicable Building Diagram) of the building is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG. E3. Attached garage (top of slab) is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is: _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☒ Unknown The local official must certify this information in Section G.	
SECTION F – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION	
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. <i>The statements in Sections A, B, and E are correct to the best of my knowledge</i> ☐ Check here if attachments and describe in the Comments area. Property Owner or Owner's Authorized Representative Name: _____ Address: _____ City: _____ State: _____ ZIP Code: _____ Telephone: _____ Ext.: _____ Email: _____ Signature: _____ Date: _____ Comments: _____	

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Form Page 5 of 8

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 5111 NE 30TH AVE City: LIGHTHOUSE POINTState: FLORIDAZIP Code: 33064	FOR INSURANCE COMPANY USE Policy Number: _____ Company NAIC Number: _____
SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY)	
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section. H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG): a) For Building Diagrams 1A, 1B, 3, and 5–8. Top of bottom _____ ☐ feet ☐ meters ☐ above the LAG floor (include above-grade floors only for buildings with crawlspaces or enclosure floors) is: b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next _____ ☐ feet ☐ meters ☐ above the LAG higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is: H2. Is all Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram? ☐ Yes ☐ No	
SECTION I – PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION	
The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. <i>The statements in Sections A, B, and H are correct to the best of my knowledge.</i> Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G. ☐ Check here if attachments are provided (including required photos) and describe each attachment in the Comments area. Property Owner or Owner's Authorized Representative Name: _____ Address: _____ City: _____ State: _____ ZIP Code: _____ Telephone: _____ Ext.: _____ Email: _____ Signature: _____ Date: _____ Comments: _____	

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
 5111 NE 30TH AVE

City: LIGHTHOUSE POINT State: FLORIDA ZIP Code: 33064

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption:

Front View



Photo Two

Photo Two Caption:

Rear View

ELEVATION CERTIFICATE
IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11
BUILDING PHOTOGRAPHS
Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
5111 NE 30TH AVE

City: LIGHTHOUSE POINT State: FLORIDA ZIP Code: 33064

FOR INSURANCE COMPANY USE

Policy Number: _____

Company NAIC Number: _____

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption:

Left View



Photo Four

Photo Four Caption:

Right View